



F.No. South-Central/1-2019704421/2014/EOA/Corrigendum-1

Date: 19-Aug-2014

Corrigendum

To,
The Principal Secretary
(Higher Education) Govt. of Andhra Pradesh,
J Block, 4th Floor, Secretariat Building,
Hyderabad-500022

Sub: Extension of approval for the academic year 2014-15.

Ref : Application of the Institution for Extension of Approval for the Year 2014-15

EOA Issued on	F.No. South-Central/1-2019704421/2014/EOA	04-Jun-2014
EOA Printed on	F.No. South-Central/1-2019704421/2014/EOA	16-Aug-2014
Corrigendum 1	F.No. South-Central/1-2019704421/2014/EOA/Corrigend	19-Aug-2014

Sir/Madam,

In partial modification of the letter F.No. South-Central/1-2019704421/2014/EOA and in terms of the provisions under the All India Council for Technical Education (Grant of Approvals for Technical Institutions) Regulations 2012 notified by the Council vide notification number F-No.37-3/Legal/2012 dated 27/09/2012 and norms standards, procedures and conditions prescribed by the Council from time to time, I am directed to convey the approval to

Regional Office	South-Central	Application Id	1-2019704421
		Permanent Id	1-4676552
Name of the Institute	CMR TECHNICAL CAMPUS	Institute Address	KANDLAKOYA VILLAGE MEDCHAL MANDAL RANGA REDDY DISTRICT HYDERABAD- 501401 ANDHRA PRADESH, HYDERABAD; RANGA REDDY, RANGAREDDI, Andhra Pradesh, 501401
Name of the Society/Trust	CMR TECHNICAL EDUCATION SOCIETY	Society/Trust Address	PLOT NO 33, JAYA NAGAR, BOWENPALLY, SECUNDERABAD, HYDERA BAD, HYDERABAD, Andhra Pradesh, 500011
Institute Type	Unaided - Private		

Opted for change from Women to Co-ed	No	Opted for change of name	No	Opted for change of site	No
Change from Women to Co-ed approved	Not Applicable	Change of name Approved	Not Applicable	Change of site Approved	Not Applicable

Application Number: 1-2019704421*

Page 1 of 4

Note This is a Computer generated Corrigendum Letter for EoA. No signature is required.

Letter Printed On: 20 August 2014

Printed By : AE1730801



to conduct following courses with the intake indicated below for the academic year 2014-15

Application Id: 1-2019704421			Course	Full/Part Time	Affiliating Body	Intake 2012-13	Intake 2013-14	Intake Approved for 2014-15	NRI	PIO
Program	Shift	Level								
ENGINEERING AND TECHNOLOGY	1st Shift	POST GRADUATE	STRUCTURAL ENGINEERING	FULL TIME	Jawaharlal Nehru Technological University, Hyderabad	0	0	24	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	POST GRADUATE	THERMAL ENGINEERING	FULL TIME	Jawaharlal Nehru Technological University, Hyderabad	0	0	24	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADUATE	COMPUTER SCIENCE AND ENGINEERING	FULL TIME	Jawaharlal Nehru Technological University, Kukatpally	180	240	240	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADUATE	MECHANICAL ENGINEERING	FULL TIME	Jawaharlal Nehru Technological University, Kukatpally	60	120	180	NA	NA
MANAGEMENT	1st Shift	POST GRADUATE	MASTERS IN BUSINESS ADMINISTRATION	FULL TIME	Jawaharlal Nehru Technological University, Kukatpally	300	300	180	NA	NA



Application Id: 1-2019704421			Course	Full/Part Time	Affiliating Body	Intake 2012-13	Intake 2013-14	Intake Approved for 2014-15	NRI	PIO
Program	Shift	Level								
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADUATE	CIVIL ENGINEERING	FULL TIME	Jawaharlal Nehru Technological University, Kukatpally	60	60	120	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	POST GRADUATE	COMPUTER SCIENCE & ENGINEERING	FULL TIME	Jawaharlal Nehru Technological University, Kukatpally	24	60	60	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADUATE	ELECTRONICS AND COMMUNICATIONS ENGINEERING	FULL TIME	Jawaharlal Nehru Technological University, Kukatpally	180	180	180	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	POST GRADUATE	EMBEDDED SYSTEMS	FULL TIME	Jawaharlal Nehru Technological University, Kukatpally	24	24	24	NA	NA

- Validity of the course details may be verified at www.aicte-india.org>departments>approvals

The above mentioned approval is subject to the condition that CMR TECHNICAL CAMPUS shall follow and adhere to the Regulations, guidelines and directions issued by AICTE from time to time and the undertaking / affidavit given by the institution along with the application submitted by the institution on portal.

In case of any differences in content in this Computer generated Extension of Approval Letter, the content/information as approved by the Executive Council / General Council as available on the record of AICTE shall be final and binding.



Strict compliance of Anti-Ragging Regulation:- Approval is subject to strict compliance of provisions made in AICTE Regulation notified vide F. No. 37-3/Legal/AICTE/2009 dated July 1, 2009 for Prevention and Prohibition of Ragging in Technical Institutions. In case Institution fails to take adequate steps to Prevent Ragging or fails to act in accordance with AICTE Regulation or fails to punish perpetrators or incidents of Ragging, it will be liable to take any action as defined under clause 9(4) of the said Regulation.

(Dr. Kuncheria P. Isaac)
Member Secretary, AICTE

Copy to:

- 1. The Regional Officer,**
All India Council for Technical Education
First Floor, old BICARD Building
Jawaharlal Nehru Technological University
Masab Tank, Hyderabad-500076
- 2. The Director Of Technical Education,**
Andhra Pradesh
- 3. The Principal / Director,**
CMR TECHNICAL CAMPUS
KANDLAKOYA VILLAGE
MEDCHAL MANDAL
RANGA REDDY DISTRICT
HYDERABAD- 501401
ANDHRA PRADESH,
HYDERABAD;RANGA REDDY,RANGAREDDI,
Andhra Pradesh,501401
- 4. The Secretary / Chairman,**
CMR TECHNICAL EDUCATION SOCIETY
PLOT NO 33,JAYA NAGAR,BOWENPALLY,SECUNDERABAD,
HYDERABAD,HYDERABAD,
Andhra Pradesh,500011
- 5. Guard File(AICTE)**